



BRAVIA

4K Professional Displays

Bring the spectacular depth and quality of BRAVIA to your business with the latest range of ultra-slim and energy efficient Professional Displays from HD to 4K HDR OLED all the way up to 8K HDR picture quality. Available from 32" to 100" our line-up offers all the technological performance and style you'd expect from BRAVIA.

Our range of Sony Professional Displays features HD, 4K and 8K resolution models with screen sizes to suit every application. Ideal for digital signage, screen mirroring and a range of professional solutions, our displays feature a range of innovative LCD, HDR and OLED display technologies for superior image quality with easy operation, extensive integration options and low ownership costs.

Highlights

- Brilliant 4K image quality with powerful 4K X1 processor / new XR Cognitive Processor.*
- Embedded HTML5 platform for easy digital signage.*
- Copy custom settings to multiple screens via USB memory.
- Slim, stylish and installation friendly with versatile control options.
- Touchscreen options.*
- 24/7 operation* and reliable high-brightness panel.*
- Compatible* with TEOS Workplace Solutions.

*Model dependent



PrimeSupport
Pro

See page 5 for
further details



PrimeSupport
Elite

See page 5 for
further details



Do more with BRAVIA built-in solutions

Bring the incredible depth and quality of 4K resolution to your business or university

Built-in Meeting-Room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Built-in mirroring (Connect for TEOS)*

Great for collaborative working, Connect for TEOS allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA 4K Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

Built in TEOS Workplace Management Solutions*

Sony BRAVIA 4K Professional Displays are fully compatible with Manage for TEOS. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

Built-in Digital Signage Platform* (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction.

Looks great in every light

The screen overlay's tough anti-glare surface ensures optimum visibility, even in the sunniest environments.

Quick and easy to install and set up

Simple, fuss-free installation and set up allows deployment of your interactive touchscreen solution in minutes.

*Chargeable option, compatible with BZ series only.



BRAVIA BZ-Series



Available in a wide range of screen sizes to suit any size classroom or meeting room, BRAVIA 4K Professional Displays bring your visuals to life with bright, detail-packed 4K HDR pictures and easy content sharing. Ensure everyone's informed with attractive, colourful signage and keep costs in check with energy-saving features.

See every detail in 4K

The 4K resolution LCD panel (3840 x 2160 pixels) ensures incredible colour, contrast and realism, with four times the detail of Full HD. All models are HDR compatible, displaying a wider range of brightness levels for a level of detail and realism beyond anything you've seen before.

Superior displays designed for business

Portrait, advanced control, professional mode, optional interactive compatibility, 24/7 operation* or an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Professional Displays are designed to suit all professional needs.

Personalise BRAVIA your way**

BRAVIA suits any business application with a range of personalisation options and built-in solutions, including TEOS solutions, Touchscreen solution, Meeting Room solution, Media Player, TDM Digital Signage, Smart Automation, Screen Mirroring and Android Applications Store.

*To be confirmed on FW-75BZ30J

**Some solutions may be chargeable, TEOS and TDM are not compatible with FWD models, only with BZ series

Warranty		See page 5 for further details
Reference	Included Service PS.B2B.3	PSP.FW32BZ30J.2X / PSP.FW100BZ1.2X / PSP.FW43BZ30J.2X / PSP.FW50BZ30J.2X PSP.FW55BZ30J.2X / PSP.FW65BZ30J.2X / PSP.FW75BZ30J.2X / PSP.FW43BZ35J.2X PSP.FW50BZ35J.2X / PSP.FDWBZH55.2X / PSP.FDWBZH65.2X / PSP.FDWBZH75.2X PSP.FDWBZH85.2X
Duration	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible	2 years extension, total 5 years

For full product specifications and features please visit
pro.sony/professional-displays



Specifications		FW-43BZ35J	FW-50BZ35J	FW-55BZ40H	FW-65BZ40H	FW-75BZ40H	FW-85BZ40H	FW-100BZ40J	
General features	Screen Size	108.0 cm	126.0 cm	139.0 cm	164.0 cm	189.0 cm	215.0 cm	253.0 cm	
	Brightness (cd/m ²)	560	570	Typ. 620 / Peak 850				600 (Peak 940)	
	Native contrast ratio	4000:1	5000:1	6,000:1				9000:1	
	Dynamic contrast ratio	400000:1	500000:1	550000:1				600000:1	
	Response Time (ms)	6			8		6		7
	Display resolution (H x V, pixels)	3840x2160							
	HDR (High Dynamic Range) compatibility	Yes (HDR10,HLG,Dolby Vision)							
	Aspect Ratio	16:9							
Display features	Portrait Compatibility	Yes							
	Dimming type	Frame Dimming			Local Dimming				
	Display device	LCD							
	Backlight type	Direct LED							
	4K Processor	X1 4K HDR Processor							Cognitive Processor XR
Video Specs	Operation time	24/7							
	Wide Mode	Wide zoom / Normal / Full / Zoom / 14:9							
	4:3 Default	Yes							
	Video Processing	4K X-Reality PRO							XR 4K Upscaling
	TRILUMINOS Display	Triluminos Pro			Triluminos display				XR Triluminos Pro
	Viewing Angle (Right/Left/Up/Down)	178(89/89) degree							
Audio Specs	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p							
	Speaker Position	Down Firing				Side Back + Down Firing			Down Firing
Professional features	Audio Power Output	10W + 10W							
	Professional Hidden mode	Yes	Yes			Yes		Yes	
	HDMI auto wake-up	Yes	Yes			Yes		Yes	
	Compatible with TDM Digital Signage	Yes	Yes			Yes		Yes	
	HTML5 platform	Yes	Yes			Yes		Yes	
	Multicast/IPTV	Yes	Yes			Yes		Yes	
	Operating System	Android 10			Android 9.0				Android 10
Network Specs	On-board Storage (GB)	16GB							
	Wi-Fi Direct	Yes							
	Wi-Fi Certified	Yes							
	Wireless LAN	Integrated							
Convenience features	Security 802.1X	Yes							
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG							
	On Screen Clock	Yes							
	Sleep Timer	Yes							
	On/Off Timer	Yes							
	Chromecast built-in	Yes							
Control Specs	Apple AirPlay (Internet required)	Yes							
	IP Control	Yes							
	RS-232C Control	Yes				1(Side)		Yes	
Inputs and outputs	HDMI-CEC	Yes							
	HDCP	HDCP2.3(for HDMI1/2/3/4)							
	Composite Video Input(s)	1(Side, Mini jack)			1(Side)				1(Side, Mini jack)
	HDMI inputs total	4(4Side)							
	Analog Audio Input(s) (Total)	1(Side Analog Conversion)							
	Digital Audio Output(s)	1(Side)							
	USB ports	2(Side)							
Design features	Ethernet inputs	1(Side)							
	Frame color	Black							
	Stand Design	Slim Blade stand			Metal Blade Stand				Slim Blade stand
	VESA® Hole Spacing Compatible	Yes							
Environment specs	VESA® Hole Pitch (W x H)	20.0 x 20.0 cm			30.0 x 30.0 cm		40.0 x 40.0 cm		60.0 x 40.0 cm
	Energy label rating	G							
	Screen Size	108.0 cm	126.0 cm	139.0 cm	164.0 cm	189.0 cm	215.0 cm	253.0 cm	
	On-mode power consumption	114.0W (Rated)	148.0W (Rated)	97.0W	121.0W	152.0W	189.0W	426.0 W (Rated)	
	Power Consumption (in Standby)	0.50W							
Measurements	Dynamic Backlight Control	Yes							
	Power Saving Mode / Back Light Off Mode	Yes							
	Dimension of TV without Stand (W x H x D)	Approx. 96.4x56.3x6.9 cm	Approx. 111.9x64.9x7.0 cm	Approx. 123.1x71.0x7.0 cm	Approx. 145.0x83.3x7.0 cm	Approx. 167.4x96.1x7.1 cm	Approx. 189.9x108.9x7.2 cm	Approx. 226.0x129.7x9.8 cm	
Weight	Dimension of TV with Stand (W x H x D)	Approx. 96.4x62.8 x28.6 cm	Approx. 111.9x71.5x28.6 cm	Approx. 123.1x78.0x33.8 cm	Approx. 145.0x90.3x33.8 cm	Approx. 167.4x103.4x41.0 cm	Approx. 189.9x116.2x44.1 cm	Approx. 226.0x134.6x47.5 cm	
	Dimension of Package Carton (W x H x D)	Approx. 107.0x69.5x14.1 cm	Approx. 122.5x78.2x14.1 cm	Approx. 135.0x83.6x16.2 cm	Approx. 157.6x96.1x18.6 cm	Approx. 181.2x111.0x18.8 cm	Approx. 203.8x123.5x26.0 cm	Approx. 244.0x156.0x37.8 cm	
	Weight of TV without Stand	Approx. 10.2 kg	Approx. 12.7 kg	Approx. 16.5 kg	Approx. 22.2 kg	Approx. 32.9 kg	Approx. 45.8 kg	Approx. 88.9 kg	
Optional Accessories	Weight of TV with Stand	Approx. 10.7 kg	Approx. 13.3 kg	Approx. 17.5 kg	Approx. 23.2 kg	Approx. 34.4 kg	Approx. 47.7 kg	Approx. 92.6 kg	
	Weight of Package Carton (Gross)	Approx. 14 kg	Approx. 19 kg	Approx. 24kg	Approx. 31kg	Approx. 46kg	Approx. 62kg	Approx. 129 kg	
Service and Warranty	10 point IR Touch Overlay	TO-43BZ35J-IR10	TO-50BZ35J-IR10	TO-55BZ40H-IR10	TO-65BZ40H-IR10	TO-75BZ40H-IR10	TO-85BZ40H-IR10	TO-100BZ40J-IR10	
	10 point Capacitive Touch Overlay	TO-43BZ35J-CA10	TO-50BZ35J-CA10	TO-55BZ40H-CA10	TO-65BZ40H-CA10	TO-75BZ40H-CA10	TO-85BZ40H-CA10	TO-100BZ40J-CA10	
Standard Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible							
	2 years PrimeSupport extension reference	PSP.FW43BZ35J.2X	PSP.FW50BZ35J.2X	PSP.FDWBZH55.2X	PSP.FDWBZH65.2X	PSP.FDWBZH75.2X	PSP.FDWBZH85.2X	PSP.FW100BZ1.2X	



Specifications		FW-32BZ30J	FW-43BZ30J	FW-50BZ30J	FW-55BZ30J	FW-65BZ30J	FW-75BZ30J
General features	Screen Size	80 cm	108 cm	126 cm	139 cm	164 cm	189 cm
	Brightness (cd/m ²)	300	440				
	Native contrast ratio	3000:1	1200:1	5000:1	1200:1		
	Dynamic contrast ratio	260000:1	400000:1	300000:1			
	Response Time (ms)	10		9	10	11	
	Display resolution (H x V, pixels)	3840x2160					
	HDR (High Dynamic Range) compatibility	Yes (HDR10,HLG,Dolby Vision)					
	Aspect Ratio	16:9					
Display features	Portrait Compatibility	Yes					
	Dimming type	Frame Dimming					
	Display device	LCD					
	Backlight type	Edge LED	Direct LED				
	4K Processor	X1 4K HDR Processor					
Video Specs	Operation time	24/7					24/7 (TBC)
	Wide Mode	Wide zoom / Normal / Full / Zoom / 14:9					
	4:3 Default	Yes					
	Video Processing	4K X-Reality PRO					
	TRILUMINOS Display	Yes					
	Viewing Angle (Right/Left/Up/Down)	178(89/89) degree					
Audio Specs	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p					
	Speaker Position	Down Firing					
Professional features	Audio Power Output	5W + 5W	10W + 10W				
	Professional Hidden mode	Yes					
	HDMI auto wake-up	Yes					
	Compatible with TDM Digital Signage	Yes					
	HTML5 platform	Yes					
	Multicast/IPTV	Yes					
	Operating System	Android 10					
Network Specs	On-board Storage (GB)	16GB					
	Wi-Fi Direct	Yes					
	Wi-Fi Certified	Yes					
	Wireless LAN	Integrated					
Convenience features	Security 802.1X	Yes					
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,Motri/jpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,Motionjpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG					
	On Screen Clock	Yes					
	Sleep Timer	Yes					
	On/Off Timer	Yes					
	Chromecast built-in	Yes					
Control Specs	Apple AirPlay (Internet required)	Yes					
	IP Control	Yes					
	RS-232C Control	Yes					
Inputs and outputs	HDMI-CEC	Yes					
	HDCP	HDCP2.3(for HDMI1/2/3/4)					
	Composite Video Input(s)	1(Side, Mini jack)					
	HDMI inputs total	4(4Side)					
	Analog Audio Input(s) (Total)	1(Side Analog Conversion)					
	Digital Audio Output(s)	1(Side)					
	USB ports	2(Side)					
Design features	Ethernet inputs	1(Side)					
	Frame color	Black					
	Stand Design	Stand	Slim Blade stand				
	VESA® Hole Spacing Compatible	Yes					
Environment specs	VESA® Hole Pitch(W x H)	10.0 x 20.0 cm	20.0 x 20.0 cm			30.0 x 30.0 cm	
	Energy label rating	G					
	Screen Size for WEB(diagonal, cm, integer or 1st decimal)	80 cm	108 cm	126 cm	139 cm	164 cm	189 cm
	Rated Power Consumption	66.0W	107.0W	146.0W	196.0W	230.0W	297.0W
	Power Consumption (in Standby)	0.50W					
Measurements	Dynamic Backlight Control	Yes					
	Power Saving Mode / Back Light Off Mode	Yes					
	Dimension of TV without Stand (W x H x D)	Approx. 72.6x43.0 x7.6 (2.60) cm	Approx. 97.2x56.7x7.0 cm	Approx. 112.6x65.3x7.0 cm	Approx. 124.3x71.9x7.1 cm	Approx. 146.2x84.2x7.1 cm	Approx. 168.6x96.9x7.2 cm
Weight	Dimension of TV with Stand (W x H x D)	Approx. 72.6x45.4x17.2 cm	Approx. 97.2x63.2x28.6 cm	Approx. 112.6x71.8x28.6 cm	Approx. 124.3x78.7x33.8 cm	Approx. 146.2x91.2x33.8 cm	Approx. 168.6x104.5x41.0 cm
	Dimension of Package Carton (W x H x D)	Approx. 81.4x55.1x15.2 cm	Approx. 107.0x69.5x14.1 cm	Approx. 122.6x78.2x14.1 cm	Approx. 134.8x83.3x16.0 cm	Approx. 157.4x95.8x18.4 cm	Approx. 181.0x110.7x18.7 cm
	Weight of TV without Stand	Approx. 7.5 kg	Approx. 10 kg	Approx. 12.3 kg	Approx. 15.7 kg	Approx. 21.6 kg	Approx. 31.6 kg
Optional Accessories	Weight of TV with Stand	Approx. 7.7 kg	Approx. 10.5 kg	Approx. 12.9 kg	Approx. 16.6 kg	Approx. 22.5 kg	Approx. 32.9 kg
	Weight of Package Carton(Gross)	Approx. 10 kg	Approx. 14 kg	Approx. 17 kg	Approx. 23 kg	Approx. 30 kg	Approx. 45 kg
Service and Warranty	10 point IR Touch Overlay	TO-32BZ30J-IR10	TO-43BZ30J-IR10	TO-50BZ30J-IR10	TO-55BZ30J-IR10	TO-65BZ30J-IR10	TO-75BZ30J-IR10
	10 point Capacitive Touch Overlay	TO-32BZ30J-CA10	TO-43BZ30J-CA10	TO-50BZ30J-CA10	TO-55BZ30J-CA10	TO-65BZ30J-CA10	TO-75BZ30J-CA10
Standard Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible					
	2 years PrimeSupport extension reference	PSP.FW32BZ30J.2X	PSP.FW43BZ30J.2X	PSP.FW50BZ30J.2X	PSP.FW55BZ30J.2X	PSP.FW65BZ30J.2X	PSP.FW75BZ30J.2X

Coffee House

COFFEE
 AMERICANO
 MOCHA
 CAPPUCCINO
 MACCHIATO
 ESPRESSO

DESSERTS
 DOUGHNUT
 CHEESECAKE

HOT DRINKS
 HOT CHOCOLATE
 WHITE CHOCOLATE
 VANILLA TEA
 GREEN TEA

MINI BITES
 CROISSANT
 SANDWICH
 FRENCH TOAST

ALL YOU NEED IS LOVE & A CUP OF COFFEE

Coffee is always a good idea

Coffee House

COFFEE
 AMERICANO
 MOCHA
 CAPPUCCINO
 MACCHIATO
 ESPRESSO

DESSERTS
 DOUGHNUT
 CHEESECAKE

HOT DRINKS
 HOT CHOCOLATE
 WHITE CHOCOLATE
 VANILLA TEA
 GREEN TEA

MINI BITES
 CROISSANT
 SANDWICH
 FRENCH TOAST

ALL YOU NEED IS LOVE & A CUP OF COFFEE

Coffee is always a good idea